

Фитинги для труб

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: kua@nt-rt.ru || сайт: <https://kosun.nt-rt.ru/>

KOSUN FLUID



Stainless Steel Hygienic Customized Pipe Fitting

Kosun Fluid producing all kinds of stainless steel sanitary pipe fittings. Standard and customized. Including tri clamp to male and females connector, tri clamp to union connector, tri clamp to hose adaptor, DIN SMS RJT Union to hose adapter etc.

Material:304 or 316 Stainless steel

Outside Finish:Mirror polish or Satin polish

Size:1" to 6"

Connection:Triclamp; Union; Welding; Thread

Standard:DIN SMS RJT ISO

KOSUN FLUID



Stainless Steel Sanitary RJT Male Nut Liner Union

Stainless Steel Sanitary RJT Union fitting is a standard union used in dairy industry, It consist of a RJT male, a RJT liner, a nut, and and o ring. Different from SMS Or DIN union, Using a flat gasket as seal material, RJT union use a o ring to seal the male and liner.

Material:304 or 316 Stainless steel

Outside Finish:Mirror polish or Satin polish

Size:1" to 6"

Connection:RJT Union

KOSUN FLUID



Stainless Steel Sanitary SMS Male Nut Liner Union

Sanitary SMS Union consist of a union nut, a welding male, a welding liner and a gasket. It is widely used in hygienic process equipment. SMS union and parts are forged in stainless steel 304SS and 316L SS

Material:304 or 316 Stainless steel

Outside Finish:Mirror polish or Satin polish

Size:1" to 6"

Connection:SMS Union

KOSUN FLUID



Stainless Steel Sanitary DIN Male Nut Liner Union

Sanitary DIN Union Fittings are produced according to DIN 11851 standard. The union including a round Slotted Nut, a Weld liner and Male, and a flat gasket seal. Kosun Fluid also produce other DIN unions other than DIN11851, according to customer's drawings. With Low MOQ requirement

Material:304 or 316 Stainless steel

Outside Finish:Mirror polish or Satin polish

Size:1" to 6"

Connection:DIN Union

KOSUN FLUID



Tri Clamp Screen Gasket

The Hygienic Screen gasket is designed to match with standard tri clamp pipe line. The screen gasket have various material including viton epdm teflon (PTFE).

Material:Viton EPDM Teflon

Mesh size:3mm to 200 mesh

Size:1" to 4"

KOSUN FLUID



Stainless Steel Sanitary Tri Clamp Customized Manifold

Kosun Fluid produces all kinds of custom sanitary stainless steel manifolds of various size according to your exact specifications. We can place a variety of styles and sized ports on your custom manifolds. Manifold connection type including welding, tri clamp, thread, union type.

Material:304 or 316 Stainless steel

Outside Finish:Mirror polish or Satin polish

Size:1" to 6"

Connection:Tri clamp or customized

Style:According to your requirement

KOSUN FLUID



Stainless Steel Tri Clamp Clamp

Sanitary Clamps Fittings is an important connection part of sanitary fittings. They are usually of material stainless steel 304. Kosun Fluid offers a wide range of tri clamps. Including single pin clamp, double pin clamp. 3pcs clamp. High pressure clamp etc. Clamp material also available in 201ss or 316LSS. From heavy duty type, to middle weight to light weight.

Sanitary fittings, also known as sanitary clamps or hygienic clamps, are clamping devices used to seal two ferrules together

Material:304 or 316 Stainless steel

Size:1/2" to 12"

KOSUN FLUID



Stainless Steel Sanitary Insulation Jacketed Pipe Fitting

The jacket pipe fitting is a special pipe fitting with a hot water jacket, It is mainly used in chocolate pipelines to prevent chocolate from condensation during the transportation on the pipe. We offer a wide range of insulation jacket pipe fitting including jacket elbow bend, jacket tee, jacket spools.

Material:304 or 316 Stainless steel
Outside Finish:Mirror polish or Satin polish
Size:1" to 6"
Connection:Tri clamp or customized

KOSUN FLUID



Stainless Steel Pipe Hanger Pipe Holder

Pipe support is used to support pipeline laying on the ground. We have pipe hanger in round and hexagon shape, The inner of the pipe holder could be with a soft rubber for easier installation. We also could customize the pipe holder according to customer's requirement.

Material:201 304 316 stainless steel
Size:1" to 12"
Shape:Round, Hexagon.
Option:Rubber coated

KOSUN FLUID



Stainless Steel Tri Clamp Hose Barb Pipe Fitting

Sanitary Hose Connectors is a kind of sanitary adapter, it is one end hose barb style and another end according to different pipe line connection, could be tri clamp, SMS DIN RJT union, or welded connection .

Material:304 or 316 Stainless steel
Outside Finish:Mirror polish or Satin polish
Size:1/4" to 4"
Connection type:tri clamp

KOSUN FLUID



Stainless Steel Tri Clamp Male And Female Fitting

Sanitary triclamp male and female adapter is made in stainless steel 304 or 316L, with high purity surface to meet hygienic requirements. We also provide customized fitting to customers.

Material:304 or 316 Stainless steel
Outside Finish:CNC Machined finish
Size:1/4" to 4"
Thread type:BSP NPT

KOSUN FLUID



Stainless Steel Tri Clamp Pipe Spool

Sanitary Spools is made in stainless steel 304,316,1.4301,1.4404 etc, it can be fabricated on requirement and customized available. The diameter of the spool from 1/2" to 12", length of the spools from 4" to 48". We also offer jacketed pipe spools. Clamps and end cap reducers.

Material:304 or 316 Stainless steel
Outside Finish:Mirror polish or Satin polish
Size:1/2" to 12"
Connection type:tri clamp

KOSUN FLUID



Stainless Steel Sanitary Tri Clamp Pipe Fitting

Sanitary clamp fittings create a quick clamp union for easy handle purpose. The tri clamp set consist of a gasket and the two ferrule ends, a clamp is secured around this joint to complete the connection. This can be performed without the use of tools when using the wing nut style clamp. Tri clamp connection is the most common used type in food, beverage, dairy, pharmacy etc industries all over the world. Weld clamp ferrules are fitted into process lines with both tri-clamp connect...

Material:304 316

Outside Finish:CNC machined

Size:1" to 12"

Connection:Tri clamp

KOSUN FLUID



Stainless Steel Sanitary Reducer

Sanitary reducer is one of the typical fitting used in hygienic industry. There are two type of reducer: concentric reducer and eccentric reducer. The connection type is welding and tri clamp, But we also could produce customized reducers with SMS DIN RJT union ends.

Material:304 316

Finish:Mirror or satin

Size:1" to 6"

Connection:Tri clamp, union, welding

KOSUN FLUID



Ss 304 316 Sanitary Hygienic Tee

Sanitary tee is one of the typical fitting used in hygienic industry. There are various type of tees: short tee, long tee, reducing tee etc. Connection of the tee end could be welding, tri clamp, SMS union, Din union, RJT union etc.

Material:304 316

Finish:Mirror or satin

Size:1" to 6"

Connection:Tri clamp, union, welding

KOSUN FLUID



Stainless Steel Sanitary Hygienic 45 90 180 Degree Elbow

Sanitary elbow is one of the typical fitting used in hygienic industry. There are various type of elbow: 45 degree elbow : accommodate a 45° change in angle between separate runs of sanitary tubing. 90 degree elbow : a most widely used type of elbow in pipeline construction. 180 degree elbow: Accommodate 180 Degree Process Line with stainless steel. Connection of the elbow end could be welding, tri clamp, SMS union, Din union, RJT union etc. The

Material:304 316

Finish:Mirror or satin

Size:1" to 6"

Connection:Tri clamp, union, welding

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: kua@nt-rt.ru || сайт: <https://kosun.nt-rt.ru/>